

Bid Evaluation n Report (FINANCIAL)

(As per Rules 35 of Public Procurement Rules, 2017)

Name of Procuring agency: Cath Lab & Cardiac Surgery Hospital Muzaffarabad Govt AJK

Method of Procurement: Open Competitive Bidding (Single Stage- Two Envelope Procedure)

Title of Procurement: Daily Diet Patients.

Tender Inquiry No.: AK-67-N/10/2023.

PPRA Ref. No. (TSE): 5092(16.10.2023)

Date and time of closing: (26.10.2023)12:00 hrs PM.

Date and time of Technical Bid Opening: (26.10.2023) 01:00 hrs Noon

No. of Bid Received: 03 (Three)

Criteria for Bid Evaluation Financial

0. Detail of Bid (s) Evaluation: As under; -

Dry Ration with LPG Gas.					
S#	Name of Bidder	MARKS		Evaluated Cost Rs. 100,000/-	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial		
01	M/S Rising Star & Co	66	N/A	825/-	Most Advantageous Bidder
2	M/S Akbar Enterprises	10	N/A	N/A	Disqualified Due to not fulfillment of bidding criteria
3	M/S Mughal Enterprises	17	N/A	N/A	Disqualified Due to not fulfillment of bidding criteria
M/S Rising Star & Co (Most Advantageous Bid)					

M/S Rising Star & Co Pvt Muzaffarabad being most advantageous bidder rate of diet / LPG per patient Rs. 825/-.

Dr. Noman Manzoor Butt,
Medical Superintendent
Cath Lab & Cardiac surgery Hospital MZD.

Bid Evaluation Report (FINANCIAL)

(As per Rules 35 of Public Procurement Rules, 2017)

11. Name of Procuring agency: Cath Lab & Cardiac Surgery Hospital Muzaffarabad Govt AJK
12. Method of Procurement: Open Competitive Bidding (Single Stage- Two Envelope Procedure)
13. Title of Procurement: Purchase of Oxygen.
14. Tender Inquiry No.: AK-67-N/10/2023.
15. PPRA Ref. No. (TSE): 5092(16.10.2023)
16. Date and time of closing: (26.10.2023)12:00 hrs PM.
17. Date and time of Technical Bid Opening: (26.10.2023)01:30 hrs Noon
18. No. of Bid Received: 02 (Two)
19. Criteria for Bid Evaluation Financial
20. Detail of Bid (s) Evaluation: As under; -

A) OXYGEN MEDICAL GASES REFILLING.

1. Oxygen Cylinder (6.8m³/240cft)

S#	Name of Bidder	Marks		Qty	Evaluated per Cost	Total Qty	Total Amount	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial					
1.	M/S Alliance Distributors	87	N/A	01	3850/-	1800	6930000/-	Most Advantageous Bid
2.	M/S M&M Co	53	N/A	N/A	N/A	N/A	N/A	Disqualified Due to non-valid authorization letter, technical marks are less than required.

M/S Alliance Distributor (Most Advantageous Bid)

2. Oxygen Cylinder (1.5m³/48cft)

S#	Name of Bidder	Marks		Qty	Evaluated per Cost	Total Qty	Total Amount	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial					
1.	M/S Alliance Distributors	87	N/A	01	1750/-	50	87500/-	Most Advantageous Bid
2.	M/S M&M Co	53	N/A	N/A	N/A	N/A	N/A	Disqualified Due to non-valid authorization letter, technical marks are less than required.

M/S Alliance Distributor (Most Advantageous Bid)

3. Oxygen Container 45XL (130m³ Liquid)

S#	Name of Bidder	Marks		Qty	Evaluated per Cost	Total Qty	Total Amount	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial					
1.	M/S Alliance Distributors	87	N/A	1	62500	2	125000/-	Most Advantageous Bid
2.	M/S M&M Co	53	N/A	N/A	N/A	N/A	N/A	Disqualified Due to non-valid authorization letter, technical marks are less than required.

M/S Alliance Distributor (Most Advantageous Bid)

31/10/23

AZ

4. Oxygen Container 55XL (160m3 Liquid)

S#	Name of Bidder	Marks		Qty	Evaluated Cost	Total Qty	Total Amount	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial					
1.	M/S Alliance Distributors	87	N/A	1	63000/-	8	504000/-	Most Advantageous Bid
2.	M/S M&M Co	53	N/A	N/A	N/A	N/A	N/A	Disqualified Due to non-valid authorization letter, technical marks are less than required.

M/S Alliance Distributor (Most Advantageous Bid)

5. Oxygen Container 65XL (190m3 Liquid)

S#	Name of Bidder	Marks		Qty	Evaluated Cost	Total Qty	Total Amount	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial					
1.	M/S Alliance Distributors	87	N/A	1	63500/-	1	63500/-	Most Advantageous Bid
2.	M/S M&M Co	53	N/A	N/A	N/A	N/A	N/A	Disqualified Due to non-valid authorization letter, technical marks are less than required.

M/S Alliance Distributor (Most Advantageous Bid)

6. Nitrous Oxide 50L (30kg)

S#	Name of Bidder	Marks		Qty	Evaluated Cost	Total Qty	Total Amount	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial					
1.	M/S Alliance Distributors	87	N/A	1	41500/-	3	124500/-	Most Advantageous Bid
2.	M/S M&M Co	53	N/A	N/A	N/A	N/A	N/A	Disqualified Due to non-valid authorization letter, technical marks are less than required.

M/S Alliance Distributor (Most Advantageous Bid)

7. Nitrogen (6.8m3/240cft)

S#	Name of Bidder	Marks		Qty	Evaluated Cost	Total Qty	Total Amount	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial					
1.	M/S Alliance Distributors	87	N/A	01	5200/-	3	15600/-	Most Advantageous Bid
2.	M/S M&M Co	53	N/A	N/A	N/A	N/A	N/A	Disqualified Due to non-valid authorization letter, technical marks are less than required.

M/S Alliance Distributor (Most Advantageous Bid)

F

5. Carbon Dioxide 15kg

S#	Name of Bidder	Marks		Qty	Evaluated Cost	Total Qty	Total Amount	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial					
1.	M/S Alliance Distributors	87	N/A	1	1850/-	5	9250/-	Most Advantageous Bid
2.	M/S M&M Co	53	N/A	N/A	N/A	N/A	N/A	Disqualified Due to non-valid authorization letter, technical marks are less than required.

M/S Alliance Distributor (Most Advantageous Bid)



Dr. Noman Manzoor Butt,
Medical Superintendent
Cath Lab & Cardiac surgery Hospital MZD

Bid Evaluation Report (FINANCIAL)

(As per Rules 35 of Public Procurement Rules, 2017)

1. Name of Procuring agency: Cath Lab & Cardiac Surgery Hospital Muzaffarabad Govt AJK
2. Method of Procurement: Open Competitive Bidding (Single Stage- Two Envelope Procedure)
3. Title of Procurement: Purchase of Bedding clothing.
4. Tender Inquiry No.: AK-67-N/10/2023.
5. PPRA Ref. No. (TSE): 5092(16.10.2023)
6. Date and time of closing: (26.10.2023)12:00 hrs PM.
7. Date and time of Technical Bid Opening: (26.10.2023)02:00hrs Noon
8. No. of Bid Received: 02 (Two)
9. Criteria for Bid Evaluation Financial
10. Detail of Bid (s) Evaluation: As under; -

A. Cardiac bed Electric.

1. Cardiac bed Electric Five Position with Mattress Bed Side Locker Over Bed Table and IV Stand.

S#	Name of Bidder	MARKS		Qty	Evaluated Cost	Total Qty	Total Amount	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial					
1.	M/S Imran Traders	90	N/A	1 bed	575000/-	5	2875000/-	Most Advantageous Bid
2.	M/S Islamabad Surgical	70	N/A	N/A	N/A	N/A	N/A	M/S Islamabad Surgical quoted bed china made which is not as per specifications so rejected

M/S Imran Traders Most Advantageous Bid

2. Scrub Sheet Role (1.5-meter width).

S#	Name of Bidder	MARKS		Qty	Evaluated Cost	Total Qty	Total Amount	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial					
1.	M/S Imran Traders	90	N/A	1/m	75/-	100	75000/-	Most Advantageous Bid
2.	M/S Islamabad Surgical	70	N/A	N/A	N/A	N/A	N/A	M/S Islamabad Surgical sample are Rejected, so technically non-responsive

M/S Imran Traders Most Advantageous Bid

3. Patient Suit (Male Female) All Sizes Medium, Large and XL Fabric Cotton Best Quality.


S#	Name of Bidder	MARKS		Qty	Evaluated Cost	Total Qty	Total Amount	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial					
1.	M/S Imran Traders	90	N/A	1 suit	2200/Suit	100	220000/-	Most Advantageous Bid
2.	M/S Islamabad Surgical	70	N/A	N/A	N/A	N/A	N/A	M/S Islamabad Surgical sample are Rejected, so technically non-responsive

M/S Imran Traders Most Advantageous Bid

4. Drap Sheets. (Best Quality)

S#	Name of Bidder	MARKS		Qty	Evaluated Cost	Total Qty	Total Amount	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial					
1.	M/S Imran Traders	90	N/A	1 sheet	1650/Sheet	100/ sheet	165000/-	Most Advantageous Bid
2.	M/S Islamabad Surgical	70	N/A	N/A	N/A	N/A	N/A	M/S Islamabad Surgical sample are Rejected, so technically non-responsive

M/S Imran Traders Most Advantageous Bid


Dr. Noman Manzoor Butt,
Medical Superintendent
Cath Lab & Cardiac surgery Hospital MZD

Bid Evaluation Report (FINANCIAL)

(As per Rules 35 of Public Procurement Rules, 2017)

19

1. Name of Procuring agency: Cath Lab & Cardiac Surgery Hospital Muzaffarabad Govt AJK
2. Method of Procurement: Open Competitive Bidding (Single Stage- Two Envelope Procedure)
3. Title of Procurement: LP Medicines.
4. Tender Inquiry No.: AK-67-N/10/2023.
5. PPRA Ref. No. (TSE): 5092(16.10.2023)
6. Date and time of closing: (26.10.2023)12:00 hrs PM.
7. Date and time of Technical Bid Opening: (26.10.2023) 12:30 hrs Noon
8. No. of Bid Received: 01 (One)
9. Criteria for Bid Evaluation Financial
10. Detail of Bid (s) Evaluation: As under; -

A) LP MEDICINES.

1. National Medicines.

S#	Name of Bidder	Technical	Financial	Evaluated Cost	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
1.	M/S Imtiaz Medicos	Qualified	Qualified	07%	Most Advantageous Bid

M/S Imtiaz Medicos (Most Advantageous Bid)

2. Multinational / Imported / Medicines.

S#	Name of Bidder	Technical	Financial	Evaluated Cost	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
1.	M/S Imtiaz Medicos	Qualified	Qualified	07%	Most Advantageous Bid

M/S Imtiaz Medicos (Most Advantageous Bid)

3. Surgical & Disposable etc.

S#	Name of Bidder	Technical	Financial	Evaluated Cost	Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
1.	M/S Imtiaz Medicos	Qualified	Qualified	07%	Most Advantageous Bid

M/S Imtiaz Medicos (Most Advantageous Bid)

1. **Dr. Noman Manzoor Butt,**
Medical Superintendent
Cath Lab & Cardiac surgery
Hospital MZD

Chairman



2. **Dr. Waqar Mustafa**
Cardiologist
Cath Lab & Cardiac surgery
Hospital MZD

Member




3. **Dr. Khalid Khurshed**
Medical Officer
CLCSH (MZD)

Member



4. **Dr. Ali Hassan Gillani**
Medical Officer
Cath Lab & Cardiac surgery
Hospital MZD

Member



5. **Mr. Zeeshan Ali**
Electro Medical Engineer
AIMS Hospital MZD

Member





BID EVALUATION REPORT (TECHNICAL)

(As per Rules 35 of Public Procurement Rules, 2017)

1. Name of Procuring agency: Cath Lab & Cardiac Surgery Hospital Muzaffarabad Govt AJK
2. Method of Procurement: Open Competitive Bidding (Single Stage- Two Envelope Procedure)
3. Title of Procurement: Purchase of Bedding clothing.
4. Tender Inquiry No.: AK-67-N/10/2023.
5. PPRA Ref. No. (TSE): 5092(16.10.2023)
6. Date and time of closing: (26.10.2023)12:00 hrs PM.
7. Date and time of Technical Bid Opening: (26.10.2023)02:00hrs Noon
8. No. of Bid Received: 02 (Two)
9. Criteria for Bid Evaluation Technical
10. Detail of Bid (s) Evaluation: As under: -

Bid SUBMISSION

02 (TWO) applicants / firms submitted their bids on 26-10-2023 on 12:00 pm, technical proposal was opened at 2:00 pm and financial proposal was sealed in the presence of applicants and firm's representative.

A. Cardiac bed Electric.

S#	Name of Bidder	Technical Marks (minimum 60% required)		Reason for rejection/selection Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial	
1	M/S Imran Traders	90	N/A	Qualified 1. M/S Imran Traders quoted bed UK made as per required specification, so technically responsive as per specification.
2	M/S Islamabad Surgical	70	N/A	Disqualified 2. M/S Islamabad Surgical quoted bed China made which is not as per required specification so rejected

B. Scrub Sheet Role.

S#	Name of bidder	Technical Marks (minimum 60% required)		Reason for rejection/selection Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial	
1.	M/S Imran Traders	90	N/A	Qualified 1. M/S Imran Traders provided samples are approved by the committee, so technically responsive.
	M/S Islamabad Surgical	70	N/A	Disqualified 2. M/S Islamabad Surgical samples are rejected, so technically non responsive.

Handwritten mark

Handwritten signature and date
04-12-23

C- Patient suit.

S#	Name of bidder	Technical Marks (minimum 60% required)		Reason for rejection/selection Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial	
1.	M/S Imran Traders	90	N/A	Qualified 1. M/S Imran Traders provided samples are approved by the committee, so technically responsive.
2.	M/S Islamabad Surgical	70	N/A	Disqualified 2. M/S Islamabad Surgical samples are rejected, so technically non responsive.

D- Drap sheets.

S#	Name of bidder	Technical Marks (minimum 60% required)		Reason for rejection/selection Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial	
1.	M/S Imran Traders	90	N/A	Qualified 1. M/S Imran Traders provided samples are approved by the committee, so technically responsive.
2.	M/S Islamabad Surgical	70	N/A	Disqualified 2. M/S Islamabad Surgical samples are rejected, so technically non responsive



Dr. Noman Manzoor Butt,
Medical Superintendent
Cath Lab & Cardiac surgery
Hospital MZD

Bid Evaluation Report (TECHNICAL)

(As per Rules 35 of Public Procurement Rules, 2017)

1. Name of Procuring agency: Cath Lab & Cardiac Surgery Hospital Muzaffarabad Govt AJK
2. Method of Procurement: Open Competitive Bidding (Single Stage- Two Envelope Procedure)
3. Title of Procurement: Purchase of Oxygen.
4. Tender Inquiry No.: AK-67-N/10/2023.
5. PPRA Ref. No. (TSE): 5092(16.10.2023)
6. Date and time of closing: (26.10.2023)12:00 hrs PM.
7. Date and time of Technical Bid Opening: (26.10.2023)01:30 hrs Noon
8. No. of Bid Received: 02 (Two)
9. Criteria for Bid Evaluation Technical
10. Detail of Bid (s) Evaluation: As under; -

Bid SUBMISSION

02 (TWO) applicants / firms submitted their bids on 26-10-2023 on 12:00 pm, technical proposal was opened at 01:30 pm and financial proposal was sealed in the presence of applicants and firm's representative.

S#	Name of Bidder	Technical Marks (minimum 70% required)		Reason for rejection/selection Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial	
1.	M/S Alliance Distributors	87	N/A	Qualified
2.	M/S M&M Co	53	N/A	Disqualified Due to non-valid authorization letter, technical marks are less than required.

Alliance Distributor is technically Responsive for Oxygen Gases.

Recommendations:

1. Total two (02) bidders participated in the Bid. One (01) bidder M/S M&M Co. is declared non-responsive by technical committee due to not fulfillment of technical criteria.
The committee recommends **M/S Alliance Distributors** to open their financial bid.



Dr. Noman Manzoor Butt
Medical Superintendent
Cath Lab & Cardiac surgery Hospital
MZD

Bid Evaluation Report (TECHNICAL)

(As per Rules 35 of Public Procurement Rules, 2017)

1. Name of Procuring agency: Cath Lab & Cardiac Surgery Hospital Muzaffarabad Govt AJK
2. Method of Procurement: Open Competitive Bidding (Single Stage- Two Envelope Procedure)
3. Title of Procurement: LP Medicines.
4. Tender Inquiry No.: AK-67-N/10/2023.
5. PPRA Ref. No. (TSE): 5092(16.10.2023)
6. Date and time of closing: (26.10.2023)12:00 hrs PM.
7. Date and time of Technical Bid Opening: (26.10.2023) 12:30 hrs Noon
8. No. of Bid Received: 01 (One)
9. Criteria for Bid Evaluation Technical
10. Detail of Bid (s) Evaluation: As under; -

Bid SUBMISSION

01 (One) applicant / firm submitted their bid on 26-10-2023 on 12:00 pm, technical proposal was opened at 12:30 pm and financial proposal was sealed in the presence of applicant and firm's representative.

A. LP Medicines.

S#	Name of Bidder	Technical Marks (minimum 60% required)		Reason for rejection/selection Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial	
1.	Imtiaz Medicos	83	N/A	Qualified M/S Imtiaz Medicos is declared technically responsive by technical committee

M/S Imtiaz Medicos is technically Responsive for LP Medicines.

Recommendations:

Total 01 (One) bidder participated in the Bid. **M/S Imtiaz Medicos** was declared responsive by technical committee due to fulfillment of technical criteria.

The committee recommends M/S Imtiaz Medicos to open their financial bid.

Dr. Noman Manzoor Butt,
Medical Superintendent
Cath Lab & Cardiac surgery Hospital
MZD

Bid Evaluation Report (TECHNICAL)

(As per Rules 35 of Public Procurement Rules, 2017)

1. Name of Procuring agency: Cath Lab & Cardiac Surgery Hospital Muzaffarabad Govt AJK
2. Method of Procurement: Open Competitive Bidding (Single Stage- Two Envelope Procedure)
3. Title of Procurement: Daily Diet Patient.
4. Tender Inquiry No.: AK-67-N/10/2023.
5. PPRA Ref. No. (TSE): 5092(16.10.2023)
6. Date and time of closing: (26.10.2023)12:00 hrs PM.
7. Date and time of Technical Bid Opening: (26.10.2023) 01:00 hrs Noon
8. No. of Bid Received: 03 (Three)
9. Criteria for Bid Evaluation Technical
10. Detail of Bid (s) Evaluation: As under; -

Bid SUBMISSION

03 (Three) applicants / firms submitted their bids on 26-10-2023 on 12:00 pm, technical proposal was opened at 01:00 pm and financial proposal was sealed in the presence of applicants and firm's representative.

S#	Name of Bidder	Technical Marks (minimum 60% required)		Reason for rejection/selection Rules/Regulation/SBD/Policy/ acceptance as per Rules 35 of AJK PPRA Rules, 2017
		Technical	Financial	
1	M/S Rising Star & CO	66	N/A	Qualified
2	M/S Akbar Enterprises	10	N/A	Disqualified Due to not fulfillment of bidding criteria
3	M/S Mughal Enterprises	17	N/A	Disqualified Due to not fulfillment of bidding criteria

Rising Star &Co is technically Responsive for Daily Diet Patient

Recommendations:

Total 03 (Three) bidders participated in the Bid. Two (02) bidders' **M/S Akbar Enterprises & M/S Mughal Enterprises** are declared non-responsive by technical committee due to not fulfillment of technical criteria.

The committee recommends **M/S Rising Star & CO** to open their financial bid.



Dr. Noman Manzoor Butt,
Medical Superintendent
Cath Lab & Cardiac surgery Hospital
MZD